

Auto



WINNTEC

Y471105

Truck wheel dolly
(Capable of moving 220kg)



012 664 3556

071 464 0250

sales@integratedmarketing.co.za

Model: Y471105


Product: Truck wheel dolly

Description: The industrial grade Winntec Wheel Dolly increases productivity in the shop by offering a fast and efficient way to remove tyre and wheel assemblies. Ergonomic design and adjustable rollers.

Features:	Benefits:
Heavy duty	This frame is designed to withstand the weight of the vehicle wheel.
Ergonomic design	Enhance user comfort, efficiency, and safety while minimizing the risk of fatigue or injury
Extended rollers	Adjust the position of the rollers to accommodate different wheel sizes or configurations. This adjustable feature adds flexibility to the dolly, making it suitable for a variety of applications.
Rollers has 3 positions	Accommodate different wheel sizes. This ensures a secure fit and prevents the wheel from slipping during movement.
Rubber wheels	Enhances the durability, strength, and performance of the dolly
Industrial bearings	Bearings has Japanese origin, known for their precision, durability and reliability.
Quick detachable handle	Designed to offer convenience and flexibility in terms of storage, transportation, and usage. The quick-detachable handle feature allows the user to easily remove or attach the handle without the need for tools, making the dolly more compact and portable.
220 kg capacity	Designed to support a maximum load of 220kg, making it suitable for a wide range of truck wheels.
	Ease of Use: The dolly simplifies the process of moving and positioning truck wheels, reducing manual effort.
	Versatility: With adjustable roller positions, the dolly accommodates various wheel sizes, making it versatile for different types of vehicles.
	Time Efficiency: Quick-detachable handle and easy maneuverability contribute to time-efficient operations in tasks like tyre changes or maintenance

	Floor Protection: Rubber wheels protect floors from marks and damage, making the dolly suitable for use in different environments.
	Space-Saving: The quick-detachable handle and compact design allow for easy storage, saving space in workshops or garages.
	Durability: Sturdy construction and features like a steel core in the wheels enhance the durability and lifespan of the dolly.
	Safety: The braking system and stability of the dolly contribute to a safer working environment, preventing accidental movements during tasks.
	Adaptability: The dolly adapts to different surfaces and environments, ensuring reliable performance in various working conditions.
Training available	Technicians can be professionally trained to use the wheel dolly and get the maximum benefit from it.
1 year warranty	The equipment will be repaired if there are any factory faults and can be replaced if required.
Spares available	Should you have a breakdown you will not have to wait for your equipment to be repaired. If there is anything we don't have, we fly it in directly from the Suppliers.

Technical information	
Lifting capacity	220 kg
Net weight	15 kg
Packaging dimensions	130*190*240 mm
Wheel size	14" - 20"
Roller positions	3 positions
Extended rollers	290 mm
Frame width	700 mm
Handle length	1000 mm





 **INTEGRATED
MARKETING**

Colors and designs may differ

10 Keymax Park, 1006 Ergon road, Lyttelton Manor, Gauteng